

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**VOSSCHEMIE**

## Carsystem Booth Mask Stick

Version 1.1 GB / EN Revision Date: 20.04.2020 Date of last issue: 17.07.2019  
Date of first issue: 17.07.2019

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Carsystem Booth Mask Stick

Product code : 149.339

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Coatings

#### 1.3 Details of the supplier of the safety data sheet

Company : Vosschemie GmbH  
Esinger Steinweg 50  
25436 Uetersen  
Germany  
info@vosschemie.de

Telephone : 04122 717 0  
Telefax : 04122 717158

**Responsible Department** : Laboratory  
04122 717 0  
sds@vosschemie.de

#### 1.4 Emergency telephone number

Telephone : Giftinformationszentrum (GIZ)-Nord,  
Göttingen, Deutschland  
0551 19240

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

VOSSCHEMIE

## Carsystem Booth Mask Stick

Version 1.1 GB / EN Revision Date: 20.04.2020 Date of last issue: 17.07.2019  
Date of first issue: 17.07.2019

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

##### Additional Labelling

EUH210 Safety data sheet available on request.

EUH208 Contains reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1). May produce an allergic reaction.  
Avoid contact with skin.

The product falls under the regulation on biocide products (EU) 528/2012.

The treated article incorporates biocidal products

Preservation agents

Contains reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one, bronopol (INN).

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Chemical nature : Aqueous solution  
contains  
Preservative

##### Components

| Chemical name   | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number | Classification   | Concentration<br>(% w/w) |
|---|---|--|--------------------------|
| reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1) | 55965-84-9<br>613-167-00-5                            | Acute Tox. 3; H301<br>Acute Tox. 2; H330<br>Acute Tox. 2; H310<br>Skin Corr. 1C; H314<br>Eye Dam. 1; H318<br>Skin Sens. 1A; H317<br>Aquatic Acute 1; | < 0.0015                 |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**VOSSCHEMIE**

## Carsystem Booth Mask Stick

Version 1.1 GB / EN Revision Date: 20.04.2020 Date of last issue: 17.07.2019  
Date of first issue: 17.07.2019

|  |  |  |  |
|--|--|--|--|
|  |  | H400<br>Aquatic Chronic 1;<br>H410<br>M factor (acute) =<br>100<br>M factor (chronic) =<br>100 |  |
|--|--|--|--|

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : First aider needs to protect himself.  
Remove from exposure, lie down.  
Victim to lie down in the recovery position, cover and keep him warm.  
Take off all contaminated clothing immediately.
- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.
- In case of skin contact : Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.  
If symptoms persist, call a physician.
- In case of eye contact : In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Get medical attention if irritation develops and persists.
- If swallowed : Do NOT induce vomiting.  
Call a physician immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

None known.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- Suitable extinguishing media : Carbon dioxide (CO<sub>2</sub>)  
Dry powder  
Water spray jet  
Alcohol-resistant foam
- Unsuitable extinguishing media : High volume water jet

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

VOSSCHEMIE

## Carsystem Booth Mask Stick

|             |                |                                 |
|-------------|----------------|---------------------------------|
| Version     | Revision Date: | Date of last issue: 17.07.2019  |
| 1.1 GB / EN | 20.04.2020     | Date of first issue: 17.07.2019 |

---

### 5.2 Special hazards arising from the substance or mixture

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Use personal protective equipment.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Ensure adequate ventilation, especially in confined areas.  
Avoid contact with skin, eyes and clothing.  
Use personal protective equipment.  
Sweep up to prevent slipping hazard.  
Forms slippery/greasy layers with water.

### 6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal considerations see section 13., For personal protection see section 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Local/Total ventilation : Ensure adequate ventilation.

Advice on safe handling : Avoid contact with skin and eyes.  
Do not breathe vapours, aerosols.  
Do not get on skin or clothing.

Advice on protection against fire and explosion : No special protective measures against fire required.  
The product is not flammable.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container.  
Keep in a dry, cool and well-ventilated place.

Advice on common storage : Keep away from food and drink.

### 7.3 Specific end use(s)

Specific use(s) : No data available

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

VOSSCHEMIE

## Carsystem Booth Mask Stick

Version 1.1 GB / EN Revision Date: 20.04.2020 Date of last issue: 17.07.2019  
Date of first issue: 17.07.2019

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### Occupational Exposure Limits

| Components          | CAS-No.  | Value type (Form of exposure) | Control parameters   | Basis   |
|---------------------|--|-------------------------------|----------------------|---------|
| Glycerol            | 56-81-5  | TWA (Mist)                    | 10 mg/m <sup>3</sup> | GB EH40 |
| Further information | Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit should be used. |                               |                      |         |
| sucrose             | 57-50-1  | TWA                           | 10 mg/m <sup>3</sup> | GB EH40 |
|                     |  | STEL                          | 20 mg/m <sup>3</sup> | GB EH40 |

#### 8.2 Exposure controls

##### Personal protective equipment

Eye protection : Safety glasses with side-shields conforming to EN166

##### Hand protection

Material : Nitrile rubber

Glove thickness :  $\geq 0.11$  mm

Directive : DIN EN 374

Remarks : The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove.  
The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other.  
Preventive skin protection

Skin and body protection : Please wear suitable protective clothing, e.g. made of cotton or heat-resistant synthetic fibres.  
Long sleeved clothing

Respiratory protection : Apply technical measures to comply with the occupational exposure limits.  
In the case of vapour formation use a respirator with an approved filter.

Protective measures : Avoid contact with the skin and the eyes.  
Wear suitable protective equipment.  
Follow the skin protection plan.  
Handle in accordance with good industrial hygiene and safety practice.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

VOSSCHEMIE

## Carsystem Booth Mask Stick

Version 1.1 GB / EN Revision Date: 20.04.2020 Date of last issue: 17.07.2019  
Date of first issue: 17.07.2019

---

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

|  |                                 |
|--|---------------------------------|
| Appearance                                 | : liquid                        |
| Colour                                     | : colourless                    |
| Odour                                      | : characteristic                |
| pH   | : not determined                |
| Melting point/freezing point               | : not determined                |
| Boiling point/boiling range                | : ca. 100 °C                    |
| Flash point                                | : Not applicable                |
| Vapour pressure                            | : not determined                |
| Density                                    | : 1.1 g/cm <sup>3</sup> (20 °C) |
| Solubility(ies)<br>Water solubility        | : completely miscible           |
| Partition coefficient: n-<br>octanol/water | : not determined                |
| Viscosity<br>Viscosity, kinematic          | : not determined                |

#### 9.2 Other information

No data available

---

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No decomposition if used as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

#### 10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

VOSSCHEMIE

## Carsystem Booth Mask Stick

Version 1.1 GB / EN Revision Date: 20.04.2020 Date of last issue: 17.07.2019  
Date of first issue: 17.07.2019

---

### 10.5 Incompatible materials

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Not classified based on available information.

#### Components:

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1):

Acute inhalation toxicity : LC50 (Rat): 0.33 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

#### Skin corrosion/irritation

Not classified based on available information.

#### Components:

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1):

Result : Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14 days.

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1):

Species : Rabbit  
Result : Corrosive

#### Respiratory or skin sensitisation

##### Skin sensitisation

Not classified based on available information.

##### Respiratory sensitisation

Not classified based on available information.

#### Components:

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1):

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

VOSSCHEMIE

## Carsystem Booth Mask Stick

Version 1.1 GB / EN Revision Date: 20.04.2020 Date of last issue: 17.07.2019  
Date of first issue: 17.07.2019

---

Assessment : The product is a skin sensitizer, sub-category 1A.

### **Germ cell mutagenicity**

Not classified based on available information.

### **Carcinogenicity**

Not classified based on available information.

### **Reproductive toxicity**

Not classified based on available information.

### **STOT - single exposure**

Not classified based on available information.

### **STOT - repeated exposure**

Not classified based on available information.

### **Aspiration toxicity**

Not classified based on available information.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### **Components:**

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.19 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.16 mg/l  
aquatic invertebrates Exposure time: 48 h

Toxicity to algae : EC50 (Selenastrum capricornutum (green algae)): 0.027 mg/l  
Exposure time: 72 h

NOEC (Skeletonema costatum (marine diatom)): 0.0014 mg/l  
Exposure time: 72 h

M-Factor (Acute aquatic tox- : 100  
icity)

Toxicity to fish (Chronic tox- : NOEC: 0.05 mg/l  
icity) Exposure time: 14 d  
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other : NOEC: 0.1 mg/l  
aquatic invertebrates (Chron- Exposure time: 21 d  
ic toxicity) Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic : 100  
toxicity)



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

VOSSCHEMIE

## Carsystem Booth Mask Stick

Version 1.1 GB / EN Revision Date: 20.04.2020 Date of last issue: 17.07.2019  
Date of first issue: 17.07.2019

---

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

#### Components:

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -  
isothiazol-3- one [EC no. 220-239-6] (3:1):

Partition coefficient: n- : log Pow: 0.401  
octanol/water

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered  
to be either persistent, bioaccumulative and toxic (PBT), or  
very persistent and very bioaccumulative (vPvB) at levels of  
0.1% or higher..

### 12.6 Other adverse effects

#### Product:

Additional ecological infor- : No data available  
mation

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.  
Send to a licensed waste management company.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as  
the unused product.  
Dispose of in accordance with local regulations.

---

## SECTION 14: Transport information

### 14.1 UN number

Not regulated as a dangerous good

### 14.2 UN proper shipping name

Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

VOSSCHEMIE

## Carsystem Booth Mask Stick

|             |                |                                 |
|-------------|----------------|---------------------------------|
| Version     | Revision Date: | Date of last issue: 17.07.2019  |
| 1.1 GB / EN | 20.04.2020     | Date of first issue: 17.07.2019 |

---

### 14.4 Packing group

Not regulated as a dangerous good

### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Not applicable

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.  
Not applicable

### 15.2 Chemical safety assessment

A chemical safety assessment according to (EC) regulation 1907/2006 (REACH) has not been carried out for this product.

---

## SECTION 16: Other information

### Full text of H-Statements

|      |   |
|------|---|
| H301 | : Toxic if swallowed.                                   |
| H310 | : Fatal in contact with skin.                           |
| H314 | : Causes severe skin burns and eye damage.              |
| H317 | : May cause an allergic skin reaction.                  |
| H318 | : Causes serious eye damage.                            |
| H330 | : Fatal if inhaled.                                     |
| H400 | : Very toxic to aquatic life.                           |
| H410 | : Very toxic to aquatic life with long lasting effects. |

### Full text of other abbreviations

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**VOSSCHEMIE**

## Carsystem Booth Mask Stick

|         |                |                                 |
|---------|----------------|---------------------------------|
| Version | Revision Date: | Date of last issue: 17.07.2019  |
| 1.1     | 20.04.2020     | Date of first issue: 17.07.2019 |

|                 |  |
|-----------------|--|
| Acute Tox.      | : Acute toxicity   |
| Aquatic Acute   | : Short-term (acute) aquatic hazard                      |
| Aquatic Chronic | : Long-term (chronic) aquatic hazard                     |
| Eye Dam.        | : Serious eye damage                                     |
| Skin Corr.      | : Skin corrosion   |
| Skin Sens.      | : Skin sensitisation                                     |
| GB EH40         | : UK. EH40 WEL - Workplace Exposure Limits               |
| GB EH40 / TWA   | : Long-term exposure limit (8-hour TWA reference period) |
| GB EH40 / STEL  | : Short-term exposure limit (15-minute reference period) |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.